

options power generator firebrigade

Options:	MAG 122 SL	MAG 133 SL	MAG 135 SL	MAG 144 SL	MAG 155 SL
Refueling gamish without canister	x	x	x	x	x
3-way-valve	Standard	Standard	Standard	Standard	Standard
Insulation monitoring with reset key for ISO hooter	Standard	Standard	Standard	Standard	Standard
Automatic Choker (only with battery)	x	x	x	x	Standard
Remote start incl. automat. Choker (only with battery)	x	x	x	x	x
Remote monitoring (only with battery)	Not available	x	x	x	x
Polarity reversing switch	x	Standard	Standard	Standard	Standard
Battery	x	x	x	x	Standard
Exhaust gas discharge UPWARDS	x	x	x	x	x
Lettering genset foreign language (german / english is Standard)	x	x	x	x	x
available special sockets	x	x	x	x	x
Speed reduced SILENT DAS	Not available	x	x	x	x
exhaust hose length 1,5 m / 3,0 m / 4,5 m	x	x	x	x	x
Service kit	x	x	x	x	x
Guarantee extension 2+	x	x	x	x	x
Magnetic charging plug	x	x	x	x	x
Special colour power generator per ® RAL	x	x	x	x	x
Special colour design parts per ® RAL	x	x	x	x	x
FireCan	Not available	x	x	x	x

For the following options product Nos. are included in our price list of the MAG fire brigade power generators!
The illustrated options are symbolic pictures and may vary according to each type of the MAG fire brigade power generator.


For long time operation without refilling



Fuelling accessories without canister

It is used for operation of the MAG fire brigade power generator from a 20 liter fuel canister and closed with a three-way valve.


Comfortable start up



Automatic choker

With the automatic choker the MAG fire brigade power generator can be immediately started up (cold or hot) anytime without any hand touch of the choker.

Remote start up




Remote start up including automatic choker (only with the battery)

Enables to start up the MAG fire brigade power generator from a distant place.

It is used for e. g. turntable latter or in vehicles with central control station.

Comfortable start up and monitoring



Remote monitoring (only with the battery)

With this option the signals from a distant place are transmitted to the MAG fire brigade power generator (vehicle remote control stand). These signals, such as fuel level, load level of the MAG fire brigade power generator, the emergency/off key pushing, engine operation, general warning, input for external start up command from a SPS,...

options power generator firebrigade

Always have correct rotation direction



Polarity reversing switch

With the pole switch the sense of rotation of 400V CEE socket can be switched from the right to the left without re-connection of extension cable or sockets.

Start up batteries with power



Battery

We offer exclusively trademark batteries which do not need any maintenance.


For special operation conditions



Exhaust gas drainage upwards

The exhaust gas discharge upwards is fixed on the frame of the MAG fire brigade power generator; it is a funnel catching the exhaust gases and letting them out through a metal tube.

In all countries at home




Documentation and labeling in foreign languages

(German/English is applicable as standard)

On request we offer to you the documentation and labeling of our MAG power generator in any language you like.

For all world



Available sockets

We offer you, in accordance with the destination country, the possibility of having the appropriate sockets built on the distribution box and electrically protected.

Low fuel consumption and noise emission



Speed limit device DAS

At this type of operation the fuel consumption and noise emissions are especially low. If the fuel does not flow in, the electronic system recognizes this automatically, the combustion engine runs at low speed. Thus the noise and exhaust gas emissions are reduced.

options power generator firebrigade

Safe drainage of exhaust gases



Exhaust gas pipe

The exhaust gas pipe is fixed with exhaust gas pipe brackets complying with DIN standards (quick-turn closure) and is used for safe drainage of exhaust gases.

Can be supplied in the lengths 1,5m, 3m and 4,5m.

For long service life - original spare parts



Servicekit

The service kit includes all important original spare parts for the engine servicing.

5 year without any problem

After the 3 years of guarantee we offer you or your customers the option of our new product, extension of the guarantee period 2+.

This offers your customers another two years of a well-arranged guarantee.

For the supplied MAG fire brigade power generator we also offer our new product, extension of the guarantee period 2+.

Guarantee extension 2+

This offers you another two well-arranged years of guarantee for your MAG fire brigade power generator.

For immediate operation readiness



Magnetic charging socket

With this type of maintenance charging connection you can immediately start operation without disrupting the charging process.

Make your choice of colour as you like



Special colour power generator by ®RAL

The MAG fire brigade power generators are produced in standard colors RAL 3000 (red) or RAL 2012 (yellow). Moreover, you can have your MAG fire brigade power generator painted on request (as per RAL- color range).

Make your choice of colour as you like



Special parts of colour design by ®RAL

With colour design parts the MAG fire brigade power generators can match modern vehicles very well.

We will be pleased to send you our pamphlets of the MAG fire brigade power generators!