# **PORTWEST**

## **PRODUCT SPECIFICATION & TECHNICAL DATA**

### **A520 - Premium Tig Welding** Gauntlet

Collection: Welders Gloves

Range: Gloves

Materials: Goatskin, Cow Split

Leather, Para-Aramid Inner Pack: 12 **Outer Carton: 144** 

### **Product information**

The ultimate in dexterity for welders. Soft, flexible goatskin palm with heavy duty split leather cuff. For use in type B (Tig Welding). Stitching made from para-aramid throughout.

AS/NZS 2161 .2 AS/NZS 2161 .3 EN 388:2016 - (2.1.2.2.X) EN 407 (4.1.3.X.3.X) EN 420 EN 12477 Type B







### **Welders Gloves**

Higher levels of protection are needed when a worker is dealing with extremely hot temperatures and heated materials. The Portwest Weld range has an expanding selection of hand protection solutions suitable for all welding and thermal risk.

### **Gloves**

A wide and increasing range of Hand Protection styles is available. In order to help cater to every need. Only the best materials and manufacturing methods are used in the production of Portwests' extensive range of Hand Protection products.

### **Features**

- CE certified
- · Ideal for welding and metal handling
- · Soft, flexible goatskin palm with heavy duty split leather cuff
- Para-Aramid stitching throughout for extra durability



### **Colours**

|                  | Range        |  |  |  |  |
|------------------|--------------|--|--|--|--|
| Assorted<br>Grey | L/9 - XXL/11 |  |  |  |  |

# PORTWEST.

## **PRODUCT SPECIFICATION & TECHNICAL DATA**

A520 - Premium Tig Welding Gauntlet Commodity Code: 4203291000

**Test House** 

Intertek (Notified Body No.: 0362)

Centre Court LE191WD, UK

Cert No: LECFI00312973

| Item       | Colour | Len  | Wid  | Hgt  | Weight (Kg) | Cubic (m³) | EAN13 | DUN14 |
|------------|--------|------|------|------|-------------|------------|-------|-------|
| A520GRRL   | Grey   | 65.0 | 40.0 | 33.0 | 0.1200      | 0.0858     |       |       |
| A520GRRXL  | Grey   | 65.0 | 40.0 | 33.0 | 0.1600      | 0.0858     |       |       |
| A520GRRXXL | Grey   | 65.0 | 40.0 | 33.0 | 0.1800      | 0.0858     |       |       |