



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2085/161/12/23/2083

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Portwest UC
IDA Industrial Park, Westport, Co Mayo F28 FY88, Ireland
IRELAND

Description

PPE Type : an occupational footwear

Product reference : FT20BLK;FT20WHR

Article code :

Construction and material of outsole : cemented / eva+rubber sole

Pictures :



Reference standard : EN ISO 20347:2022

Classification : I **Category : OB SR**

Size range : 36-48

Toecap nature : N/A **Insert nature : N/A**

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from December 2023 and the user instructions index MAY-2023.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

William GELAS

Certification manager



Date of first issue : 13 December 2023

End of validity date : 13 December 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Portwest UC

MANUFACTURER'S TECHNICAL FILE

Reference of the product: FT20BLK;FT20WHR

Article code:

Technical file index: 01

Last update: December 2023

IDENTIFICATION

Reference of the product: FT20BLK;FT20WHR
Article Code:

Technical file index : 01
Last update : December 2023

Manufacturer

Portwest UC
IDA Industrial Park, Westport, Co Mayo F28 FY88, Ireland
IRELAND
Tel : +353 (98) 26411

Factory

ZHEJIANG XINCAIHONG PROTECTIVE EQUIPMENT CO., LTD
NO.4908 BINHAI 3RD LANE,AIRPORT NEW ZONE,YONGXING STREET,LONGWAN DISTRICT,
WENZHOU, ZHEJIANG,
CHINA
Tel : 86-577-56956788
Fax : 86-577-86100878

FOOTWEAR DESCRIPTION

Footwear description

The classification of this footwear is I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear.

The design of this footwear is A : low shoe.

Visual description

General view :



Outsole view :



Reference of the mould : LZ8900

Range of sizes

36-48

Construction and material of outsole

cemented / eva+rubber sole

Field of use

Construction area, warehouse, super-market -- for mechanical risk(without impact & compress resistance and anti-perforation function)

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§1.4	Manufacturer's instructions and information is available	☒	☒	Standard
			☒	Instruction for use
				Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☒	☒	Standard
			☒	Instruction for use
				Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	☒	☒	Standard
			☒	Instruction for use
				Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.14	Multi-risk PPE	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒	Standard
			☒	Instruction for use
			☒	Marking

FOOTWEAR CONSTITUTION

	Reference	Material	Color
UPPER	LB357+	MESH(REF.LB357)(WITH TPU COATING AT THE VAMP, BACK AREA; QUARTER WITH LOGO COATING)	BLACK / WHITE
COLLAR	LB357+	MESH(REF.LB357)(WITH TPU COATING)	BLACK / WHITE
TONGUE	LB357	MESH	BLACK / WHITE
	LB0373	FABRIC+FOAM (COMPLEX)	BLACK / WHITE
VAMP LINING	LB0372	FABRIC+FOAM (COMPLEX)	BLACK / WHITE
QUARTER LINING	LB0373	FABRIC+FOAM (COMPLEX) - QUARTER & HEEL AREA LINING; TONGUE LINING	BLACK / WHITE
INSOLE	FL195	WOVEN FABRIC INSOLE	WHITE
IN SOCK	SB-28	MESH+strengthen FOAM REMOVABLE IN SOCK	BLACK / BLUE / ORANGE; GREY / BLUE / ORANGE
OUTSOLE	LZ8900	EVA MID SOLE + RUBBER OUTER SOLE	BLACK / BLACK; WHITE / WHITE
DECORATIVE ELEMENTS		WEBBING(HEEL PULL LOOP)	BLACK / WHITE
		POLYMER EYELET	BLACK / WHITE

PROTECTION SCOPE

Basic requirements

This product has been designed to be an occupational footwear.

The applicable basic requirements are detailed in the following standard(s):

- EN ISO 20347:2022 Occupational footwear

This product is a category II PPE.

At the date of the certificate, the product is in compliance with Annex XVII of the European REACH regulation (n° 1907/2006 and revisions)

Additional requirements

The claimed additional requirements are :

- Closed seat region
- Cleated outsole
- Slip resistance (ceramic tile with glycerine)

MARKING - PACKAGING

Information marked on the footwear

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's name or commercial brand
- * Manufacturer's postal address
- * Manufacturer's type designation
- * Size
- * At least year and month of footwear manufacture
- * The number and year of the applicable specific standard(s)
- * The appropriate codes of marking according to the applicable requirements and additional protection and performance claimed

Marking example



The location of the marking is : tongue lining

Method of marking on the footwear: Stitching on inside tongue

Packaging

1 pr per box, 10 prs per carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	References	Laboratory	References
CTC	D230510750_1	CTC	D230612511_1
CTC	D230512035_1	CTC	D230715441_1

MEANS OF CONTROL

1.To control the quality of raw materials follow the methods below:

We asked our suppliers to test their upper leather for Cr VI, PH and DMFu by themselves; asked lining suppliers to check tear strength, especially abrasion resistance; ...after all raw material can reach relevant requirement, we will accept them and use in mass production.

2. During development, we will take some samples to check the main physical properties, such as slip resistance , in order that we can control the quality from development and will avoid some additional troubles in the following steps; if the result can meet requirement, we will process forward; otherwise we need pay more attention to development for the better shoes;

3. We control the whole procedure from cutting to package. Every step, relevant QC will check the quality, the semi-finished goods and finished shoes will be discarded if cannot reach requirement of quality. Of course we take some samples from line to test bond strength ect to confirm the mass production are under control. Finally, before shipment, the QC will perform the final inspection randomly, the shoes will be delivered in case the result is acceptable.

4.When do bulk the production each batch, we shall pick up some shoes from producing site randomly to test slip resistance, leather CR VI.... to control the quality to match the requirment of standand EN ISO20347:2022."

PPE subject to ageing :

The design performance of this product can be affected by ageing. The peremption period is estimated at 4 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear...).

Declaration of conformity :

The EU declaration of conformity can be accessed on the website: www.portwest.com/declaration